



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants:

Todd R. Golub, Eric S. Lander, Scott Pomeroy and Pablo Tamayo

Application No.:

10/066,305

Group Art Unit: 1642

Filed:

January 31, 2002

Examiner: K. Canella

Confirmation No.:

2026

For:

BRAIN TUMOR DIAGNOSIS AND OUTCOME PREDICTION

CERTIFICATE OF MAILING OR TRANSMISSION

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as First Class Mail in an envelope addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, or is being facsimile transmitted to the United States Patent and Trademark Office on:

7-30-03

Date

Signature

Denise Caredeo

Typed or printed name of person signing certificate

PETITION FOR EXTENSION OF TIME

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

Applicants hereby petition the Commissioner for Patents to extend the time for filing a Reply to the Office Action dated January 30, 2003 for three months from April 30, 2003 to July 30, 2003.

	<u>Small Entity</u>	<u>Other than Small Entity</u>
1 month -	\$ 55	\$ 110
2 months -	\$ 205	\$ 410
3 months -	\$ 465	X \$ 930
4 months -	\$ 725	\$ 1,450
5 months -	\$ 985	\$ 1,970

- [ ] A check is enclosed in the amount of the extension fee indicated above, or the extension fee has been included in the check with the accompanying Reply.
- [X] Please charge Deposit Account No. 08-0380 in the amount of \$930.00 to cover the cost of the extension fee.

Any deficiency or overpayment should be charged or credited to Deposit Account No. 08-0380. A copy of this letter is enclosed for accounting purposes.

Respectfully submitted,

HAMILTON, BROOK, SMITH & REYNOLDS, P.C.

By Lisa M. Treannie

Lisa M. Treannie

Registration No. 41,368

Telephone (978) 341-0036

Facsimile (978) 341-0136

08/06/2003 HBLAND 00000006 080380 10066305

01 Fee:1253 930.00 DA

Concord, Massachusetts 01742-9133

Dated: 7/30/03

ED  
7 2003

1600/2900

#11

100

11/02/03

RECEIVED

AUG 7 2003

ENTER 1600/2900